EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	308	(717/107).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 18:21
L2	260	11 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 18:21
L3	22	I2 and (attribute with (based oriented))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 18:22
S1	93	("20010032207" "20020143941" "20030163472" "20030221165" "20030226132" "20040044729" "20040044987" "20040049766" "200400111728" "20040049766" "20050066306" "20050065966" "20050187930" "20050091690" "20050193291" "20050268280" "2005024340" "20050216885" "20050268277" "20050268280" "20060074736" "20060122961" "20070262996" "4837679" "5390330" "5420965" "5586329" "5586330" "5764241" "5987247" "6023578" "6035303" "6044217" "6083276" "6182274" "6182277" "6205465" "6532465" "6574673" "6629123" "7013458" "7225425" "7240101" "7257818" "7266565" "7318216").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 12:48
S 2	40	"6490719" "6480856" "6182278" "6169993" "6167564" "6154875"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 13:25

S 3	2800	associat\$3 with component\$1 with attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 15:39
S4	3	associat\$3 with component\$1 with attribute\$1 with declarative \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 15:39
S 5	428	attribute\$1 with based with programming	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 15:42
S6	386	S5 and associat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 15:42
S7	272	S6 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 15:42
S8	1453	((add\$3 creat\$3) near5 component\$1 with class\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:14
S 9	1434	(defin\$3 with (attribute\$1 propert \$3) with behavior\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:15
S10	43	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:15
S11	32	S10 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:15

S12	2800	associat\$3 with component\$1 with attribute\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2008/03/10 16:20
S13	7	S10 and S12	IBM_TDB OUS-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:20
S14	2	S13 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:21
S15	74	attribute with based with component with program\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:23
S16	47	S15 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:23
S17	52	(generat\$3 creat\$3) with subclass with attribute\$1 with class\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/03/10 16:51
S18	40	S17 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 16:51
S19	85	attribute near2 compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:22
\$20	63	S19 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:23

S21	31	S20 and class\$2 and component	US-PGPUB;	OR	OFF	2008/03/12
J2 1		\$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OIT	OH	09:23
S22	373754	S21 behavior	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:24
S23	8	S21 and behavior	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:24
S24	8	S23 and associat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:26
S25	0	getattributecompiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:08
S26	0	getattributecompiler*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:08
S27	0	*getattributecompiler*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:08
S28	0	\$9getattributecompiler\$9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:09
\$29	2	"6598220".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 10:44

S30	1	S29 and attribute\$1	US-PGPUB;	OR	OFF	2008/03/17
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		***************************************	10:44
S31	85	attribute near2 compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:12
\$32	63	S31 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:12
S 33	31	\$32 and class\$2 and component \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:12
S34	29	attribute near1 compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:13
S 35	19	\$34 and class\$2 and component \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:14
S36	14	S35 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:14
S37	16	attribute adj compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:15
S 38	11	\$37 and class\$2 and component \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:15

S 39	6	S38 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/17 11:15
S40	0	attribute near oriente near program\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:27
S41	2	attribute near oriented near program\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:27
S42	61	marker near annotation\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:35
S43	46	S42 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:35
S44	233	declarative near program\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:52
S45	158	S44 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:52
S46	103	S45 and (attribute\$1 annotation \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:53
\$47	64	S46 and behavior and associat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/18 15:53

S48	87	generat\$3 with attribute\$1 with comment\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 13:06
S49	50	S48 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 13:07
S50	192	defin\$3 with attribute\$1 with comment\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 13:20
S51	128	S50 and @ad < "20040329"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 13:20
S52	2	dynamic near attribute near class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 16:10

3/ 19/ 2008 6:23:04 PM C:\ Documents and Settings\ pw ang\ My Documents\ EAST\ Workspaces\ 10709917.w sp